MONTHLY NOTICES

OF THE

ROYAL ASTRONOMICAL SOCIETY

CONTAINING

PAPERS PUBLISHED IN THE PERIOD
1977 APRIL TO JUNE

VOL. 179

EDITORIAL BOARD

DR D. H. P. JONES, ROYAL GREENWICH OBSERVATORY
DR C. JORDAN, DEPARTMENT OF THEORETICAL PHYSICS, OXFORD
DR M. S. LONGAIR, CAVENDISH LABORATORY, CAMBRIDGE
PROFESSOR B. E. J. PAGEL, ROYAL GREENWICH OBSERVATORY
DR J. R. SHAKESHAFT, MULLARD RADIO ASTRONOMY OBSERVATORY, CAMBRIDGE
PROFESSOR R. J. TAYLER, UNIVERSITY OF SUSSEX ASTRONOMY CENTRE

Published for the Royal Astronomical Society by
Blackwell Scientific Publications
Oxford London Edinburgh Melbourne

AUTHOR INDEX

PAGE

Adams, D. J. and Hough, J. H., The polarization of the Galactic Centre at 2.2 micron 73P

Aitken, D. K., Griffiths, J. and Jones, B., Infrared line and continuum spatial studies of the southern H II region G333.6 – 0.2 179

Allen, C. W., Quiet and active solar emission analysed from the *OSO IV* spectroheliograms 473

Altschuler, D. R. and Wardle, J. F. C., Observations of the flux density and linear polarization of compact extragalactic radio sources at 3.7 and 11.1 cm wavelength - II 153

Apparao, Krishna M. V., Gamma radiation from Cyg X-3 763

Aslan, S., Woolley, R. v. d. R., Martin, W. L., Penston, M. J. and Sinclair, J. E., Space motions of galactic G- and K-type stars 81

Barrow, J. D., On the origin of cosmic turbulence 47P

Becklin, E. E., Wynn-Williams, C. G., Matthews, K., Neugebauer, G. and Werner, M. W., Infrared studies of H II regions and dust clouds near K3-50 255

Bell, A. R., Proper motions and temporal flux changes of compact features in Cassiopeia A at 5 GHz 573

Benford, G., Model for the microstructure emission of pulsars 311

Benford, G., Constraints on coherent curvature radiation from quasars 595

Benford, G. and Buschauer, R., Temperature stabilization of instabilities in force-free magnetospheres 99

Benford, G. and Buschauer, R., Coherent pulsar radio radiation by antenna mechanisms: general theory 189

Blandford, R. D. and Znajek, R. L., Electromagnetic extraction of energy from Kerr black holes . . 433

Bolton, J. G., Savage, A. and Wright, A. E., Identification of southern radio sources – III 135

Branch, D., Type I supernovae and the value of the Hubble constant 401

Bromage, G. E. and Fawcett, B. C., The $2p^3$–$2p^2 3d$ transition array in Fe XX and isoelectronic ions 683

Browne, I. W. A. and Savage, A., Redshifts of southern quasars – III 65P

Burgess, A., Summers, H. P., Cochrane, D. M. and McWhirter, R. W. P., Cross-sections for ionization of positive ions by electron impact 275

Buschauer, R. and Benford, G., Temperature stabilization of instabilities in force-free magnetospheres 99

Buschauer, R. and Benford, R., Coherent pulsar radio radiation by antenna mechanism: general theory 189

Cane, H. V. and Whitham, P. S., Observations of the southern sky at five frequencies in the range 2–20 MHz 21

Canizares, C., Clark, G. W., Li, F. K., Hawakawa, S., Jernigan, G. and Lewin, W. H. G., Further observations of recurrent X-ray bursts from globular cluster NGC 6624 651

Carpenter, G. F., Eyles, C. J., Skinner, G. K., Wilson, A. M. and Willmore, A. P., New cosmic X-ray sources observed by the RMC experiment on *Ariel V* 27P

Caswell, J. L., Lockhardt, I. A. and Goss, W. M., A synthesis map of the unusual supernova remnant G292.0 + 1.8 147

Catchpole, R. M., Feast, M. W. and Robertson, B. S. C., The infrared variability and nature of symbiotic stars 499

Charles, P. A., Parkes, G. E., Culhane, J. L. and Ives, J. C., The X-ray spectrum and structure of the supernova remnant IC 443 55

Clark, D. H. and Stephenson, F. R., Do all galactic supernovae produce long-lived remnants? 87P

Clark, G. W., Li, F. K., Lewin, W. H. G., Doty, J., Hoffman, J. A. and Rappaport, S. A., X-ray bursts from MXB 1837 + 05 . . . . . 21P

Clarke, D. and McLean, I. S., Narrow-band structure in the intrinsic linear polarization of the Mira variable R Carinae 293

Clark, G. W. (*see* Canizares, C.)

Clegg, R. and Wyckoff, S., Calcium chloride in cool stars 417

Cochrane, D. M. (*see* Burgess, A.)

Cooke, B. A., Gowen, R. A., Griffiths, R. E. and Ricketts, M. J., An upper limit to the linear X-ray polarization of Sco X-1 303

Culhane, J. L. (*see* Charles, P. A.)

Dahanayake, C., Strong, A. W. and Wolfendale, A. W., The pulsar contribution to gamma-rays from the Galactic disc 69P

Danziger, I. J., Fosbury, R. A. E. and Penston, M. V., Optical observations of Pictor A 41P

PAGE

Davies, E. and Woolley, R., On the application of van Hoof's variation to the determination of radii of RR Lyrae variable stars by Baade's method 409
Davies, J. G., Lyne, A. G. and Seiradakis, J. H., The galactic distribution of pulsars 635
Davison, P. J. N., Spin-up in SMC X-1 . . . . . 15P
Davison, P. J. N., A regular pulsation in the X-ray flux from A1540 – 53 . . . . . 35P
Disney, M. J. and Wall, J. V., A 5-GHz survey of bright Southern elliptical and S0 galaxies 235
Doroshkevich, A. G. and Shandarin, S. F., Structure of the intergalactic medium 95P
Doty, J., Hoffman, J. A. and Lewin, W. H. G., Further observations of the burst source MXB 1728 – 34 . . . . . 57P
Doty, J. (*see* Clark, G. W.)
Eggleton, P. P. and Robertson, J. A., The evolution of W Ursae Majoris systems 359
Elitzur, M., On satellite line anomalies in OH excited states 143
Eyles, C. J. (*see* Carpenter, G. F.)
Fabian, A. C., Pringle, J. E., Rees, M. J. and Whelan, J. A. J., AM Herculis: a highly magnetized accreting white dwarf 9P
Fawcett, B. C. and Bromage, G. E., The $2p^3$–$2p^2\,3d$ transition array in Fe XX and isoelectronic ions 683
Feast, M. W. (*see* Catchpole, R. M.)
Florkowski, D. R. and Gottesman, S. T., HD 193793, a radio-emitting Wolf–Rayet binary star . . . 105
Fosbury, R. A. E., Mebold, U., Goss, W. M. and van Woerden, H., A radio and optical study of the galaxy PKS 1718 – 649 89
Fosbury, R. A. E. (*see* Danziger, I. J.)
Frater, R. H., Goss, W. M., Manchester, R. N. and McAdam, W. B., A new determination of the position of the Vela pulsar 51P
Goss, W. M. (*see* Caswell, J. L.)
Goss, W. M. (*see* Fosbury, R. A. E.)
Goss, W. M. (*see* Frater, R. H.)
Gottesman, S. T. and Florkowski, D. R., HD 193793, a radio-emitting Wolf–Rayet binary star . . . 105
Gowen, R. A. (*see* Cooke, B. A.)
Griffiths, J. (*see* Aitken, D. K.)
Griffiths, R. E. (*see* Cooke, B. A.)
Halliday, J., A 1421-MHz survey of radio sources near the North Celestial Pole 111
Hanes, D. A., Evidence for the uniformity of globular cluster populations 331
Harrington, J. P., On the extent of departures from equilibrium in weak D-type ionization fronts 63
Hawakawa, S. (*see* Canizares, C.)
Hazard, C., Mitton, S. and Whelan, J. A. J., Optical observations of radio sources in the Molonglo catalogues MC2, MC3 and MC5 569
Heath, D. J., The growth of density perturbations in zero pressure Friedmann–Lemaître universes 351
Hewish, A., Clock error effects in pulsar models 77P
Hills, J. G., The masses of galaxies and the greatest redshifts of quasars 1P
Hoffman, J. A. (*see* Clark, G. W.)
Hoffman, J. A. (*see* Doty, J.)
Hough, J. H. and Adams, D. J., The polarization of the Galactic Centre at 2.2 micron 73P
Hughes, V. A., Viner, M. R. and Kidd, A. M., A 10.5-GHz recombination line map of the W3 complex 525
Ives, J. C. (*see* Charles, P. A.)
Jernigan, G. (*see* Canizares, C.)
Jones, B. (*see* Aitken, D. K.)
Kidd, A. M. (*see* Hughes, V. A.)
Lewin, W. H. G., X-ray burst sources 43
Lewin, W. H. G. (*see* Canizares, C.)
Lewin, W. H. G. (*see* Clark, G. W.)
Lewin, W. H. G. (*see* Doty, J.)
Li, F. K. (*see* Canizares, C.)
Li, F. K. (*see* Clark, G. W.)
Lin, D. N. C., Angular momentum loss and mass-exchange instability in binary stars 265
Lloyd, C., Noble, R. and Penston, M. V., The light curve of V616 Mon = A0620 – 00 675
Lockhardt, L. A. (*see* Caswell, J. L.)

PAGE

Lyne, A. G. (*see* Davies, J. G.)
McAdam, W. B. (*see* Frater, R. H.)
McIvor, I., The effect of the interstellar turbulence on the confinement of high energy cosmic rays 13
McLaughlin, W. I. and Talbot, T. D., On the mass of Saturn's rings 619
McLean, I. S. and Clarke, D., Narrow-band structure in the intrinsic linear polarization of the Mira variable R Carinae 293
McWhirter, R. W. P. (*see* Burgess, A.)
Manchester, R. N. (*see* Frater, R. H.)
Martin, W. L. (*see* Aslan, S.)
Matsuda, T. and Nelson, A. H., On one-dimensional galactic spiral shocks 663
Matthews, K. (*see* Becklin, E. E.)
Mebold, U. (*see* Fosbury, R. A. E.)
Mendis, D. A., On the origin of the magnetic field in type-1 comet tails: a reply to Ershkovich . . . 5P
Meyer, F., Schmidt, H. U. and Weiss, N. O., The stability of sunspots 741
Miller, J. C., Quasi-stationary gravitational collapse of slowly rotating bodies in general relativity 483
Mitton, S. (*see* Hazard, C.)
Monaghan, J. J., The mass distribution of disrupting three-body systems 31
Moss, D., On the magnetic deformation of β CrB 47P
Moss, D. L., Sharp, C. M. and Smith, R. C., On stellar models with circulation-free rotation laws 699
Neal, D. S. and Stannard, D., A comparative study of the properties of 3CR and 4C quasars 719
Nelson, A. H. and Matsuda, T., On one-dimensional galactic spiral shocks 663
Neugebauer, G. (*see* Becklin, E. E.)
Noble, R. (*see* Lloyd, C.)
Ostriker, J. P. and Rees, M. J., Cooling, dynamics and fragmentation of massive gas clouds: clues to the masses and radii of galaxies and clusters 541
Pagel, B. E. J., On the limits to past variability of the proton–electron mass ratio set by quasar absorption line redshifts 81P
Parker, E. N., A comment on the thermal structure of sunspots 93P
Parkes, G. E. (*see* Charles, P. A.)
Pearson, T. J. and Webster, A., The clustering of radio sources – IV. The 5C 5, 5C 6 and 5C 7 surveys 517
Peimbert, M. and Torres-Peimbert, S., Chemical composition of the Orion nebula 217
Penston, M. J. (*see* Aslan, S.)
Penston, M. V. (*see* Danziger, I. J.)
Penston, M. V. (*see* Lloyd, C.)
Pickup, D. A., Shobbrook, R. R. and Stobie, R. S., Frequency analysis of the delta Scuti star 21 Monocerotis 389
Pineault, S., Polarized radiation from a point source orbiting a Schwarzschild black hole 691
Plaskett, H. H., Solar wavelengths and the limb effect 339
Pringle, J. E. (*see* Fabian, A. C.)
Rappaport, S. A. (see Clark, G. W.)
Rayburn, D. R., A numerical study of the continuous beam model of extragalactic radio sources 603
Reay, N. K. and Worswick, S. P., Monochromatic isophotometry of planetary nebulae – II. Observations of NGC 6720 317
Rees, M. J. and Ostriker, J. P., Cooling, dynamics and fragmentation of massive gas clouds: clues to the masses and radii of galaxies and clusters 541
Rees, M. J. (*see* Fabian, A. C.)
Ricketts, M. J. (*see* Cooke, B. A.)
Robertson, B. S. C. (*see* Catchpole, R. M.)
Robertson, J. A. and Eggleton, P. O., The evolution of W Ursae Majoris systems 359
Saslaw, W. C., A relation between the homogeneity of the Universe and the dimensionality of space 659
Savage, A. and Browne, I. W. A., Redshifts of southern quasars – III 65P
Savage, A. (*see* Bolton, J. G.)
Scheuer, P. A. G., Growth of plasma oscillations in the polar caps of pulsars 561
Schmid-Burgk, J. and Scholz, M., Extended static stellar atmospheres – IV. Study of an F giant 563
Schmidt, H. U. (*see* Meyer, F.)
Scholz, M. and Schmid-Burgk, J., Extended static stellar atmospheres – IV. Study of an F giant 563

PAGE

Scott, M. A., Structural variations of extragalactic radio sources over large frequency ranges 377
Seacord, A. W. and Gottesman, S. T., The distance to the pulsar 1858 + 03. 671
Seiradakis, J. H. (*see* Davies, J. G.)
Shandarin, S. F. and Doroshkevich, A. G., Structure of the intergalactic medium 95P
Shara, M. M. and Shaviv, G., White dwarf–main sequence star collisions 705
Sharp, C. M. (*see* Moss, D. L.)
Shaviv, G. and Shara, M. M., White dwarf–main sequence star collisions 705
Shobbrook, R. R. (*see* Pickup, D. A.)
Sinclair, J. E. (*see* Aslan, S.)
Skinner, G. K. (*see* Carpenter, G. F.)
Smith, R. C., The stopping of fragmentation in a structured cloud 521
Smith, R. C. (*see* Moss, D. L.)
Stannard, D. and Neal, D. S., A comparative study of the properties of 3CR and 4C quasars 719
Stephenson, F. R. and Clark, D. H., Do all galactic supernovae produce long-lived remnants? 87P
Stobie, R. S. (*see* Pickup, D. A.)
Strong, A. W. (*see* Dahanayake, C.)
Sullivan, D. J. (*see* Trodahl, H. J.)
Summers, H. P. (*see* Burgess, A.)
Talbot, T. D. and McLaughlin, W. I., On the mass of Saturn's rings. 619
Torres-Peimbert, S. and Peimbert, M., Chemical composition of the Orion nebula 217
Trodahl, H. J. and Sullivan, D. J., Temperature and radius variations in δ Sct, ρ Pup and X Cae. . . . 209
van Woerden, H. (*see* Fosbury, R. A. E.)
Viner, M. R. (*see* Hughes, V. A.)
Walker, A. R., High-speed photometry of symbiotic stars and recurrent novae 587
Wall, J. V. and Disney, M. J., A 5-GHz survey of bright Southern elliptical and S0 galaxies 235
Wardle, J. F. C. and Altschuler, D. R., Observations of the flux density and linear polarization of compact extragalactic radio sources at 3.7 and 11.1 cm wavelength – II 153
Warwick, R. S., High-resolution observations at 408 MHz of sources from the B2 catalogue 1
Webster, A., The clustering of radio sources – III. The Parkes 2700-MHz and Bologna B2 surveys. . 511
Webster, A. and Pearson, T. J., The clustering of radio sources – IV. The 5C 5, 5C 6 and 5C 7 surveys 517
Weiss, N. O. (*see* Meyer, F.)
Werner, M. W. (*see* Becklin, E. E.)
Whelan, J. A. J. (*see* Fabian, A. C.)
Whelan, J. A. J. (*see* Hazard, C.)
White, S. D. M., Mass segregation and missing mass in the Coma cluster 33
Whitham, P. S. and Cane, H. V., Observations of the southern sky at five frequencies in the range 2–20 MHz 21
Willmore, A. P. (*see* Carpenter, G. F.)
Wilson, A. M. (*see* Carpenter, G. F.)
Wolfendale, A. W. (*see* Dahanayake, C.)
Woolley, R. and Davies, E., On the application of van Hoof's variation to the determination of radii of RR Lyrae variable stars by Baade's method 409
Woolley, R. v. d. R. (*see* Aslan, S.)
Worswick, S. P. and Reay, N. K., Monochromatic isophotometry of planetary nebulae – II. Observations of NGC 6720 317
Wright, A. E. (*see* Bolton, J. G.)
Wyckoff, S. and Clegg, R., Calcium chloride in cool stars . . . . . .
Wynn-Williams, C. G. (*see* Becklin, E. E.)
Znajek, R. L., Black hole electrodynamics and the Carter tetrad 457
Znajek, R. L. and Blandford, R. D., Electromagnetic extraction of energy from Kerr black holes 433

SUBJECT INDEX

PAGE

Black Holes

Electromagnetic extraction of energy from Kerr black holes, *R. D. Blandford and R. L. Znajek* . . . 433
Black hole electrodynamics and the Carter tetrad, *R. L. Znajek* 457
Polarized radiation from a point source orbiting a Schwarzschild black hole, *Serge Pineault* 691

Celestial mechanics

The mass distribution of disrupting three-body systems, *J. J. Monaghan.* 31
On the mass of Saturn's rings, *W. I. McLaughlin and T. D. Talbot* 619

Comets

On the origin of the magnetic field in type-1 comet tails: a reply to Ershkovich, *D. A. Mendis* . . . 5P

Cosmic rays

The effect of the interstellar turbulence on the confinement of high-energy cosmic rays, *I. McIvor* 13

Cosmology

The growth of density perturbations in Zero pressure Friedmann–Lemaître universes, *D. J. Heath* 351
Type I supernovae and the value of the Hubble constant, *David Branch* 401
A relation between the homogeneity of the Universe and the dimensionality of space, *William C. Saslaw* 659
The masses of galaxies and the greatest redshifts of quasars, *J. G. Hills* 1P

Galactic Structure & Stellar Dynamics

Space motions of galactic G- and K-type stars, *R. v. d. R. Woolley, W. L. Martin, M. J. Penston, J. E. Sinclair and S. Aslan* 81
The galactic distribution of pulsars, *J. G. Davies, A. G. Lyne and J. H. Seiradakis* 635
On one-dimensional galactic spiral shocks, *A. H. Nelson and T. Matsuda* 663
On the limits to past variability of the proton–electron mass ratio set by quasar absorption line redshifts, *B. E. J. Pagel* 81P

Galactic Centre

The polarization of the Galactic Centre at 2.2 micron, *D. J. Adams and J. H. Hough* 73P

Galaxies

Mass segregation and missing mass in the Coma cluster, *Simon D. M. White* 33
A radio and optical study of the galaxy PKS 1718 – 649, *R. A. E. Fosbury, U. Mebold, W. M. Goss and H. van Woerden* 89
Identification of southern radio sources – III, *Ann Savage, J. G. Bolton and Alan E. Wright* 135
Observations of the flux density and linear polarization of compact extragalactic radio sources at 3.7 and 11.1 cm wavelengths – II, *Daniel R. Altschuler and J. F. C. Wardle* 153
A 5-GHz survey of bright Southern elliptical and S0 galaxies, *M. J. Disney and J. V. Wall.* 235
Cooling, dynamics and fragmentation of massive gas clouds: clues to the masses and radii of galaxies and clusters, *M. J. Rees and J. P. Ostriker* 541
The masses of galaxies and the greatest redshifts of quasars, *J. G. Hills* 1P
Optical observations of Pictor A, *I. J. Danziger, R. A. E. Fosbury and M. V. Penston* 41P

Gamma-ray astronomy

Gamma radiation from Cyg X-3, *Krishna M. V. Apparao.* 763
The pulsar contribution to gamma-rays from the Galactic disc, *A. W. Strong, A. W. Wolfendale and C. Dahanayake* 69P

PAGE

Infrared astronomy

Infrared line and continuum spatial studies of the southern HII region G333.6 – 0.2, *David K. Aitken, John Griffiths and Barbara Jones* 179
Infrared studies of HII regions and dust clouds near K3-50, *C. G. Wynn-Williams, E. E. Becklin, K. Matthews, G. Neugebauer and M. W. Werner* 255
The infrared variability and nature of symbiotic stars, *M. W. Feast, B. S. C. Robertson and R. M. Catchpole* 499
The polarization of the Galactic Centre at 2.2 micron, *D. J. Adams and J. H. Hough* 73P

Intergalactic medium

Structure of the intergalactic medium, *A. C. Doroshkevich and S. F. Shandarin* 95P

Interstellar Medium

The effect of the interstellar turbulence on the confinement of high-energy cosmic rays, *I. McIvor* . 13

Magellanic Clouds

Spin-up in SMC X-1, *P. J. N. Davison* 15P

Nebulae – Gaseous

On the extent of departures from equilibrium in weak D-type ionization fronts, *J. Patrick Harrington* 63
Infrared line and continuum spatial studies of the southern H II region G333.6 – 0.2, *David K. Aitken, John Griffiths and Barbara Jones* 179
Chemical composition of the Orion Nebula, *Manuel Peimbert and Silvia Torres-Peimbert* 217
Infrared studies of H II regions and dust clouds near K3-50, *C. G. Wynn-Williams, E. E. Becklin, K. Matthews, G. Neugebauer and M. W. Werner* 255
A 10.5-GHz recombination line map of the W3 complex, *V. A. Hughes, M. R. Viner and A. M. Kidd* 525

Nebulae – planetary

Monochromatic isophotometry of planetary nebulae – II. Observations of NGC 6720, *N. K. Reay and S. P. Worswick* 317

Photometry – non-stellar

Monochromatic isophotometry of planetary nebulae – II. Observations of NGC 6720, *N. K. Reay and S. P. Worswick* 317

Physical Processes

The effect of the interstellar turbulence on the confinement of high-energy cosmic rays, *I. McIvor* . 13
On the extent of departures from equilibrium in weak D-type ionization fronts, *J. Patrick Harrington* 63
Temperature stabilization of instabilities in force-free magnetospheres, *Robert Buschauer and Gregory Benford* 99
Coherent pulsar radio radiation by antenna mechanisms: general theory, *Gregory Benford and Robert Buschauer* 189
Angular momentum loss and mass-exchange instability in binary stars, *D. N. C. Lin* 265
Cross-sections for ionization of positive ions by electron impact, *A. Burgess, H. P. Summers, Deirdre M. Cochrane and R. W. P. McWhirter* 275
Model for the microstructure emission of pulsars, *Gregory Benford* 311
The growth of density perturbations in zero pressure Friedmann-Lemaître universes, *D. J. Heath* . . 351

PAGE

Electromagnetic extraction of energy from Kerr black holes, *R. D. Blandford and R. L. Znajek* . . 433
Black hole electrodynamics and the Carter tetrad, *R. L. Znajek* 457
Quasi-stationary gravitational collapse of slowly rotating bodies in general relativity, *John C. Miller* 483
The stopping of fragmentation in a structured cloud, *Robert Connon Smith* 521
Cooling, dynamics and fragmentation of massive gas clouds: clues to the masses and radii of galaxies and clusters, *M. J. Rees and J. P. Ostriker* 541
Growth of plasma oscillations in the polar caps of pulsars, *P. A. G. Scheuer* 561
Constraints on coherent curvature radiation from quasars, *Gregory Benford* 595
A numerical study of the continuous beam model of extragalactic radio sources, *D. R. Rayburn* . . 603
On one-dimensional galactic spiral shocks, *A. H. Nelson and T. Matsuda* 663
Polarized radiation from a point source orbiting a Schwarzschild black hole, *Serge Pineault* 691
The stability of sunspots, *F. Meyer, H. U. Schmidt and N. O. Weiss* 741
On the origin of the magnetic field in type-1 comet tails: a reply to Ershkovich, *D. A. Mendis* 5P
On the origin of cosmic turbulence, *John D. Barrow* 47P
On the magnetic deformation of β CrB, *David Moss* 55P

Planets

On the mass of Saturn's rings, *W. I. McLaughlin and T. D. Talbot* 619

Polarization of starlight

Narrow-band structure in the intrinsic linear polarization of the Mira variable R Carinae, *Ian S. McLean and David Clarke* 293

Pulsars

Coherent pulsar radio radiation by antenna mechanisms: general theory, *Gregory Benford and Robert Buschauer* 189
Model for the microstructure emission of pulsars, *Gregory Benford* 311
Growth of plasma oscillations in the polar caps of pulsars, *P. A. G. Scheuer* 561
The galactic distribution of pulsars, *J. G. Davies, A. G. Lyne and J. H. Seiradakis* 635
The distance to the pulsar 1858+03, *Andrew W. Seacord and S. T. Gottesman* 671
Spin-up in SMC X-1, *P. J. N. Davison* 15P
A regular pulsation in the X-ray flux from A1540 – 53, *P. J. N. Davison* 35P
A new determination of the position of the Vela pulsar, *W. M. Goss, R. N. Manchester, W. B. McAdam and R. H. Frater* 51P
The pulsar contribution to gamma-rays from the Galactic disc, *A. W. Strong, A. W. Wolfendale and C. Dahanayake* 69P
Clock error effects in pulsar models, *A. Hewish* 77P

Quasars

Identification of southern radio sources – III, *Ann Savage, J. G. Bolton and Alan E. Wright* 135
Observations of the flux density and linear polarization of compact extragalactic sources at 3.7 and 11.1 cm wavelength – II, *Daniel R. Altschuler and J. F. C. Wardle* 153
Optical observations of radio sources in the Molonglo catalogues MC2, MC3 and MC5, *S. Mitton, C. Hazard and J. A. J. Whelan* 569
Constraints on coherent curvature radiation from quasars, *Gregory Benford* 595
A numerical study of the continuous beam model of extragalactic radio sources, *D. R. Rayburn* . . 603
A comparative study of the properties of 3CR and 4C quasars, *D. Stannard and D. S. Neal* 719
The masses of galaxies and the greatest redshifts of quasars, *J. G. Hills* 1P
Redshifts of southern quasars – III, *I. W. A. Browne and Ann Savage* 65P
On the limits to past variability of the proton–electron mass ratio set by quasar absorption line redshifts, *B. E. J. Pagel* 81P

PAGE

Radio astronomy

High resolution observations at 408 MHz of sources from the B2 catalogue, *R. S. Warwick* 1
Observations of the southern sky at five frequencies in the range 2–20 MHz, *H. V. Cane and P. S. Whitham* 21
A radio and optical study of the galaxy PKS 1718 – 649, *R. A. E. Fosbury, U. Mebold, W. M. Goss and H. van Woerden* 89
HD 193793, a radio-emitting Wolf–Rayet binary star, *D. R. Florkowski and S. T. Gottesman* 105
A 1421-MHz survey of radio sources near the North Celestial Pole, *J. Halliday* 111
Identification of southern radio sources – III, *Ann Savage, J. G. Bolton and Alan E. Wright* 135
On satellite line anomalies in OH excited states, *Moshe Elitzur* 143
A synthesis map of the unusual supernova remnant G292.0 + 1.8, *I. A. Lockhart, W. M. Goss and J. L. Caswell* 147
Observations of the flux density and linear polarization of compact extragalactic radio sources at 3.7 and 11.1 cm wavelength – II, *Daniel R. Altschuler and J. F. C. Wardle* 153
Coherent pulsar radio radiation by antenna mechanisms: general theory, *Gregory Benford and Robert Buschauer* 189
A 5-GHz survey of bright Southern elliptical and S0 galaxies, *M. J. Disney and J. V. Wall.* 235
Structural variations of extragalactic radio sources over large frequency ranges, *M. A. Scott* 377
The clustering of radio sources – III. The Parkes 2700-MHz and Bologna B2 surveys, *Adrian Webster* 511
The clustering of radio sources – IV. The 5C 5, 5C 6 and 5C 7 surveys, *Adrian Webster and Timothy J. Pearson* 517
A 10.5-GHz recombination line map of the W3 complex, *V. A. Hughes, M. R. Viner and A. M. Kidd* 525
Optical observations of radio sources in the Molonglo catalogues MC2, MC3 and MC5, *S. Mitton, C. Hazard and J. A. J. Whelan* 569
Proper motions and temporal flux changes of compact features in Cassiopeia A at 5 GHz, *A. R. Bell* 573
Constraints on coherent curvature radiation from quasars, *Gregory Benford* 595
A numerical study of the continuous beam model of extragalactic radio sources, *D. R. Rayburn* . . 603
The galactic distribution of pulsars, *J. G. Davies, A. G. Lyne and J. H. Seiradakis* 635
A comparative study of the properties of 3CR and 4C quasars, *D. Stannard and D. S. Neal.* 719
Optical observations of Pictor A, *I. J. Danziger, R. A. E. Fosbury and M. V. Penston* 41P

Relativity

Electromagnetic extraction of energy from Kerr black holes, *R. D. Blandford and R. I. Znajek* . . . 433
Black hole electrodynamics and the Carter tetrad, *R. L. Znajek* 457
Quasi-stationary gravitational collapse of slowly rotating bodies in general relativity, *John C. Miller* 483
Polarized radiation from a point source orbiting a Schwarzschild black hole, *Serge Pineault* 691
Clock error effects in pulsar models, *A. Hewish* 77P

Spectroscopy

On satellite line anomalies in OH excited states, *Moshe Elitzur* 143
Cross-sections for ionization of positive ions by electron impact, *A. Burgess, H. P. Summers, Deirdre M. Cochrane and R. W. P. McWhirter* 275
The $2p^3 - 2p^2 3d$ transition array in Fe XX and isoelectronic ions, *G. E. Bromage and B. C. Fawcett* 683

Stars

White dwarf–main sequence star collisions, *M. M. Shara and G. Shaviv* 705

PAGE

Stars – atmospheres of

Temperature stabilization of instabilities in force-free magnetospheres, *Robert Buschauer and Gregory Benford* 99
Extended static stellar atmospheres – IV. Study of an F giant, *J. Schmid-Burgk and M. Scholz* . . . 563

Stars – binary

HD 193793, a radio-emitting Wolf–Rayet binary star, *D. R. Florkowski and S. T. Gottesman* 105
Angular momentum loss and mass-exchange instability in binary stars, *D. N. C. Lin* 265
The evolution of W Ursae Majoris systems, *J. Alistair Robertson and Peter P. Eggleton* 359
On the magnetic deformation of β CrB, *David Moss* 55P

Stars – chemical composition of

Calcium chloride in cool stars, *R. Clegg and S. Wyckoff* 417

Stars – clusters of

Evidence for the uniformity of globular cluster populations, *David A. Hanes* 331
Further observations of recurrent X-ray bursts from globular cluster NGC 6624, *George W. Clark, Fuk Knok Li, Claude Canizares, Satio Hayakawa, Garrett Jernigan and Walter H. G. Lewin* . . . 651

Stars – magnetic fields in

AM Herculis: a highly magnetized accreting white dwarf, *A. C. Fabian, J. E. Pringle, M. J. Rees and J. A. J. Whelan* 9P
On the magnetic deformation of β CrB, *David Moss* 55P

Stars – photometry of

High-speed photometry of symbiotic stars and recurrent novae, *Alistair R. Walker* 587

Stars – spectroscopy of

Solar wavelengths and the limb effect, *H. H. Plaskett* 339

Stars – structure and evolution of

The evolution of W Ursae Majoris systems, *J. Alistair Robertson and Peter P. Eggleton* 359
On stellar models with circulation-free rotation laws, *Christopher M. Sharp, Robert Connon Smith and D. L. Moss* 699

Stars – variable

Temperature and radius variations in δ Sct, ρ Pup and X Cae, *H. J. Trodahl and D. J. Sullivan* 209
Narrow-band structure in the intrinsic linear polarization of the Mira variable R Carinae, *Ian S. McLean and David Clarke* 293
Frequency analysis of the delta Scuti star 21 Monocerotis, *R. S. Stobie, D. A. Pickup and R. R. Shobbrook* 389
On the application of van Hoof's variation to the determination of radii of RR Lyrae variable stars by Baade's method, *R. Woolley and E. Davies* 409
The infrared variability and nature of symbiotic stars, *M. W. Feast, B. S. C. Robertson and R. M. Catchpole* 499
High-speed photometry of symbiotic stars and recurrent novae, *Alistair R. Walker* 587
The light curve of V616 Mon = A0620 – 00, *C. Lloyd, Robert Noble, and M. V. Penston* 675
AM Herculis: a highly magnetized accreting white dwarf, *A. C. Fabian, J. E. Pringle, M. J. Rees and J. A. J. Whelan* 9P

PAGE

Stars – velocities of

Space motions of galactic G- and K-type stars, *R. v. d. R. Woolley, W. L. Martin, M. J. Penston J. E. Sinclair and S. Aslan* 81

Sun

Solar wavelengths and the limb effect, *H. H. Plaskett* 339
Quiet and active solar emission analysed from the *OSO IV* Spectroheliograms, *C. W. Allen* 473
The stability of sunspots, *F. Meyer, H. U. Schmidt and N. O. Weiss* 741
A comment on the thermal structure of sunspots, *E. N. Parker* 93P

Supernovae and Supernova Remnants

The X-ray spectrum and structure of the supernova remnant IC 443, *G. E. Parkes, P. A. Charles, J. L. Culhane and J. C. Ives* 55
A synthesis map of the unusual supernova remnant G292.0 + 1.8, *I. A. Lockhart, W. M. Goss and J. L. Caswell* 147
Type I supernovae and the value of the Hubble constant, *David Branch* 401
Proper motions and temporal flux changes of compact features in Cassiopeia A at 5 GHz, *A. R. Bell* 573
Do all galactic supernovae produce long-lived remnants? *D. H. Clark and F. R. Stephenson* 87P

X-ray astronomy

X-ray burst sources, *Walter H. G. Lewin* 43
The X-ray spectrum and structure of the supernova remnant IC 443, *G. E. Parkes, P. A. Charles, J. L. Culhane and J. C. Ives* 55
An upper limit to the linear X-ray polarization of Sco X-1, *R. A. Gowen, B. A. Cooke, R. E. Griffiths and M. J. Ricketts* 303
Further observations of recurrent X-ray bursts from globular cluster NGC 6624, *George W. Clark, Fuk Kwok Li, Claude Canizares, Satio Hayakawa, Garrett Jernigan and Walter H. G. Lewin* . . . 651
Gamma radiation from Cyg X-3, *Krishna M. V. Apparao* 763
Spin-up in SMC X-1, *P. J. N. Davison* 15P
X-ray bursts from MXB 1837 + 05, *F. K. Li, W. H. G. Lewin, G. W. Clark, J. Doty, J. A. Hoffman and S. A. Rappaport* 21P
New cosmic X-ray sources observed by the RMC experiment on *Ariel V, G. F. Carpenter, C. J. Eyles, G. K. Skinner, A. M. Wilson and A. P. Willmore* 27P
A regular pulsation in the X-ray flux from A1540 – 53, *P. J. N. Davison* 35P
Further observations of the burst source MXB 1728 – 34, *J. A. Hoffman, W. H. G. Lewin and J. Doty* 57P

MONTHLY NOTICES: NOTICE TO AUTHORS

1 GENERAL. All papers communicated for publication in *Monthly Notices* or *Memoirs* are submitted to the scrutiny of referees. There is no page charge for publication in *Monthly Notices* but there is usually a charge of £20.00 a page for papers published in *Memoirs*. The Society holds the copyright of all pages published in its Journals.

2 PREPARATION OF PAPERS. Authors are allowed considerable latitude, but they are requested to follow the general style of recent issues of *Monthly Notices*. They should attend particularly to:

a the provision of a summary of not more than 200 words;

b the division of a paper into sections and, if necessary, sub-sections;

c the annotation of the typescript so as to give the printer all possible guidance in setting the paper, with special reference to ambiguous and unusual symbols, sub- and superscripts, and the placing of diagrams and tables.

The preparation of extensive tabular, diagrammatic or photographic material should be discussed with the Editors at an early stage in the preparation of the paper, in order to determine the most appropriate form of its presentation. A title should be provided for each table and diagram.

Three copies of each paper should be submitted. One copy should be typewritten double-spaced on one side of the paper only, leaving a one-inch margin on the left-hand side. The other two copies should be in a *weight-reduced* form such as on flimsy paper, reduced to half size or copied on both sides of the page. The first page of the typescript should contain the full postal address of the author(s) to appear on the paper and the address to which proofs are to be sent if that is different.

3 DIAGRAMS should be drawn in black ink on tracing material or smooth white board, with a line weight and lettering suitable for reduction to fit the type area of *Monthly Notices*. Drawings for reduction to 1/3, 1/2 or 7/10 of their original size, require line weight and lettering of the following thicknesses and sizes respectively:



Reductions are linear, and authors are reminded that the space between parts of a diagram as well as lines and lettering, are reduced. Adequate allowance should be made for this to avoid the joining up, during blockmaking, of parts which are close together. If a diagram has to be redrawn a standard charge will usually be made for this service (at present £5.50).

Two rough copies of diagrams should be provided for the use of the Editors and Referees.

4 PHOTOGRAPHS to be reproduced as half-tone plates are acceptable only if they are essential. Glossy unmounted prints should be submitted. Copies are required for the use of the Editors and Referees.

5 ABBREVIATIONS and references should preferably follow the practice set out in *I.A.U. Trans. XII* (*c*) or, if not available in that volume, the *World List of Scientific Periodicals*.

6 PROOFS. Authors are liable for the cost of alterations in excess of 50p per page. It is therefore in their own, as well as the Society's interest, to seek the maximum conciseness and simplification of symbols and equations consistent with clarity. Proofs should be returned within three days of receipt.

7 SHORT COMMUNICATIONS. These should merit *urgent* publication and should not, as a rule, exceed 1500 words. Such papers will normally be published between seven and ten weeks after acceptance. The Editors may themselves undertake responsibility for correcting proofs of such papers. Twenty-five offprints will be automatically supplied to the author(s) without charge; additional offprints may be obtained at prevailing rates, provided the order for extra copies is placed when the paper is submitted.

Papers in this category will be included as part of a routine issue of *Monthly Notices*; they will be printed on tinted paper and carry a special pagination which will enable them to be bound up together at the end of each volume.

Monthly Notices

OF THE R.A.S. VOL. 179 NO. 3 JUNE 1977

CONTENTS

511 *Adrian Webster:* The clustering of radio sources – III. The Parkes 2700-MHz and Bologna B2 surveys

517 *Adrian Webster and Timothy J. Pearson:* The clustering of radio sources – IV. The 5C 5, 5C 6 and 5C 7 surveys

521 *Robert Connon Smith:* The stopping of fragmentation in a structured cloud

525 *V. A. Hughes, M. R. Viner and A. M. Kidd:* A 10·5-GHz recombination line map of the W3 complex

541 *M. J. Rees and J. P. Ostriker:* Cooling, dynamics and fragmentation of massive gas clouds: clues to the masses and radii of galaxies and clusters

561 *P. A. G. Scheuer:* Growth of plasma oscillations in the polar caps of pulsars

563 *J. Schmid-Burgk and M. Scholz:* Extended static stellar atmospheres – IV. Study of an F giant

569 *S. Mitton, C. Hazard and J. A. J. Whelan:* Optical observations of radio sources in the Molonglo catalogues MC2, MC3 and MC5

573 *A. R. Bell:* Proper motions and temporal flux changes of compact features in Cassiopeia A at 5 GHz

587 *Alistair R. Walker:* High-speed photometry of symbiotic stars and recurrent novae

595 *Gregory Benford:* Constraints on coherent curvature radiation from quasars

603 *D. R. Rayburn:* A numerical study of the continuous beam model of extragalactic radio sources

619 *W. I. McLaughlin and T. D. Talbot:* On the mass of Saturn's rings

635 *J. G. Davies, A. G. Lyne and J. H. Seiradakis:* The galactic distribution of pulsars

651 *George W. Clark, Fuk Kwok Li, Claude Canizares, Satio Hayakawa, Garrett Jernigan and Walter H. G. Lewin:* Further observations of recurrent X-ray bursts from the globular cluster NGC 6624

659 *William C. Saslaw:* A relation between the homogeneity of the Universe and the dimensionality of space

663 *A. H. Nelson and T. Matsuda:* On one-dimensional galactic spiral shocks

671 *Andrew W. Seacord, and S. T. Gottesman:* The distance to the pulsar 1858+03

675 *C. Lloyd, Robert Noble and M. V. Penston:* The light curve of V616 Mon = A0620−00

683 *G. E. Bromage and B. C. Fawcett:* The $2p^3$–$2p^3\ 3d$ transition array in Fe XX and isoelectronic ions

691 *Serge Pineault:* Polarized radiation from a point source orbiting a Schwarzschild black hole

699 *Christopher M. Sharp, Robert Connon Smith and D. L. Moss:* On stellar models with circulation-free rotation laws

705 *M. M. Shara and G. Shaviv:* White dwarf – main sequence star collisions

719 *D. Stannard and D. S. Neal:* A comparative study of the properties of 3CR and 4C quasars

741 *F. Meyer, H. U. Schmidt and N. O. Weiss:* The stability of sunspots

763 *Krishna M. V. Apparao:* Gamma radiation from Cyg X-3

Short Communications

65P *I. W. A. Browne and Ann Savage:* Redshifts of southern quasars – III

69P *A. W. Strong, A. W. Wolfendale and C. Dahanayake:* The pulsar contribution to gamma-rays from the Galactic disc

73P *D. J. Adams and J. H. Hough:* The polarization of the Galactic Centre at 2.2 micron

77P *A. Hewish:* Clock error effects in pulsar models

81P *B. E. J. Pagel:* On the limits to past variability of the proton – electron mass ratio set by quasar absorption line redshifts

87P *D. H. Clark and F. R. Stephenson:* Do all galactic supernovae produce long-lived remnants?

93P *E. N. Parker:* A comment on the thermal structure of sunspots

95P *A. G. Doroshkevich and S. F. Shandarin:* Structure of the intergalactic medium

Annual subscription £120.00 (Overseas £140.00 *U.S.* $295.00)

Printed in Dorking by Adlard & Son Ltd, Bartholomew Press, 1977